ESD scanner MS852B+HD, Bluetooth

Product Number EP0201104



Product Description

ESD scanner MS852B Bluetooth

Wireless high-performance hand-held scanner / MegaPixel barcode sensor for reading all common 1D and 2D barcodes. The scanner is suitable for use in ESD-protected areas and clean rooms.

- Resistance according to IEC 61340: 105 – $^{109}\,\boxtimes$

- Dimensions: L x W x H: 88 x 72 x 178 mm

- Weight: 213 g (without charging cradle)

- Interface: USB

- IP classification: IP42

- Drop protection: 2.10 m

- Manual trigger mode or continuous mode
- Recognizes barcodes on mobile screens
- Detects damaged or poorly printed barcodes
- Supports OCR/QR, Dot and Digimarc codes
- Bluetooth operating radius: 100 m in clear view
- Lifetime: up to 10,000,000 triggers
- Loud beeper (90 dBi) and bright LED display for easy recognition of feedback

Scope of delivery:



- ESD scanner
- Battery, charging station
- USB interface cable
- 3-year warranty

ESD-PROTECT GmbH | +49 2689 92870-0 | info@esd-protect.de

(ESD-PROTECT

More Images



ESD-PROTECT GmbH | +49 2689 92870-0 | info@esd-protect.de