

Personnel tester PD-400 incl. foot electrode

Product Number EP0206024

Variants Foot electrode: Foot electrode FE-100



Product Description

Shoe and wrist strap test station PD-400 including shoe electrode FE-100 and wall bracket.

The new generation of personal tester. Fast and reliable ESD testing of wrist straps and ESD footwear in accordance with DIN EN 61340-5-1. The measurement results are shown precisely on an LCD display. This makes it easier to detect changes such as deteriorating footwear. The four different test modes can be selected quickly and easily using push buttons. An unsuccessful test is indicated visually and acoustically. A potential-free contact can release access to an interlock system or an access control system. The ESD-Protect PD-400 personnel tester is supplied complete in a set with 2-pole shoe electrode and wall bracket.

Special features:

- Preset limit values
- Display of test results via LCD display
- Test modes quickly adjustable via push buttons
- Relay output

Scope of delivery

- PD-400 personal tester
- Power supply unit
- Mounting plate for wall mounting
- FE-100 two-pole foot electrode
- Connecting cable EP0206064 Measuring device to shoe electrode

Dimensions	190x93x35mm	
Power supply	9V DC, 360mA	
Measuring voltage	100V	
Measuring accuracy	± 5%	
Measuring ranges	Wrist strap	750k Ω - 35M Ω
	Footwear	100k Ω - 100M Ω
	Shoe-to-shoe	200k Ω - 200M Ω

Also available as a PRORENT rental unit.

More Images

