

Ionizing bar A960IPS

Product Number EP0402022

Variants Length: 700 mm



Product Description

- Powerful ionization with medium to high range
- Compact design, integrated power supply unit
- Discharge up to a distance of 600 mm
- Can be controlled via the BarMaster or SmartControl
- LED display for cleaning and fault alarm
- Can also be used without compressed air
- Electrical connection 4-pin M8 with 24 V DC
- Compressed air connection: 6 mm / max. 2 bar
- Protection class IP66

Technical Data

Breite	30 mm
Höhe	45 mm
Länge	300 / 400 / 500 / 600 / 700 mm (ohne Anschlüsse)
Verkaufseinheit	1 Stück
Material	Gehäuse: ABS-Kunststoff FR Emitter: Titan (auswechselbar)
Ionisierungsverfahren	Quasi-AC-Ausgang
Entladung	Abstand von 150 mm bis 600 mm
Anschluss	24 V DC / max. 500 mA
Ausgangsspannung	± 15 V DC
Anzeige	LED-Anzeige für Reinigungs- und Störungsalarm (grüne/rote LED)
Druckluftanschluss	6 mm / max. 2 bar
Offset-Spannung	± 35 V
Steuerung	Steuerbar über BarMaster oder SmartControl
Montage	T-Nut-Halterung

More Images

