

ESD shelf trolley 1245 x 785 with EasySTOP foot brake

Product Number EP0806358



Product Description

ESD-PROTECT GmbH | +49 2689 92870-0 | info@esd-protect.de



Welded steel construction

electrically conductive design

with push/pull handle, which is flush with the frame when folded and does not protrude beyond the contours of the trolley

Push/pull handle with soft black plastic cover

End/longitudinal walls and roof made of wire mesh, mesh size 50 x 50 mm

Base and shelves made of electrically conductive decorative chipboard, light gray

Shelves inserted in angle steel frame can be used variably in 50 mm increments using shelf supports

electrically conductive

durable surface protection

impact and scratch-resistant

Tires made of electrically conductive thermoplastic rubber on plastic rim with precision deep-groove ball bearing,

gray, "non-marking"

Thread and foot protection

2 swivel castors with EasySTOP and 2 fixed castors

Dimensions - width x depth x height (mm): 1315 x 830 x 1810

Loading area - width x depth (mm): 1245 x 785

Wheel Ø (mm): 200 Wheel width (mm): 40 Load capacity (kg): 500

Weight (kg): 120.5

(ESD-PROTECT

More Images



ESD-PROTECT GmbH | +49 2689 92870-0 | info@esd-protect.de